

"Samp_No","Lab_Location_ID","Matrix_ID","Sample_Type_Code","Lab_Coc_No","Date_Collected","Date_Received","Date_Extracted","Date_Analyzed","Lab_Name","Lab_Samp_No","Lab_Batch_No","Analysis","Analytical_Method","Extraction_Method","Cas_no","Analyte","Detected","Result","Result_Qualifier","Lab_Result_Qualifier","Result_Units","MDL","MDL_Units","Quantitation_Limit","Quantitation_Limit_Units","Reporting_Limit","Reporting_Limit_Units","Reportable_Result","Result_Type_Code","QC_Type","Percent_Solids","Percent_Lipids","Percent_Moisture","Total_Or_Dissolved","Test_Type","Basis","Dilution_Factor","Percent_Recovery","SubSample_Amount","SubSample_Amount_Unit","Final_Volume","Final_Volume_Unit","Comments","QAFlag","QA_Date","QA_Comment","QA_UserName"

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 15:02","TestAmerica Savannah","680-117013-3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-55-8","Nitrate as N","N","0.023","<","U H","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","","","","T","initial","Wet","1","","5"," mL","5","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 15:02","TestAmerica Savannah","680-117013-3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","STL00217","Nitrate Nitrite as N","N","0.023","<","U H","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","","","","T","initial","Wet","1","","5"," mL","5","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 15:02","TestAmerica Savannah","680-117013-3","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-65-0","Nitrite as N","N","0.023","<","U H","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","","","","T","initial","Wet","1","","5"," mL","5","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:23","09/25/2015 10:02","TestAmerica Savannah","680-117013-3","402891","351.2 Nitrogen, Total Kjeldahl","351.2","Digestion","STL00296","Nitrogen, Kjeldahl","Y","0.29","","mg/L","0.10","mg/L","0.10","mg/L","0.20","mg/L","Yes","TRG","","","","T","initial","Wet","1","","20","mL","20","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 10:01","09/24/2015 12:15","TestAmerica Savannah","680-117013-3","402691","4500_CN_E Cyanide, Total: Colorimetric Method","4500 CN E-2011","Distill/CN","57-12-5","Cyanide, Total","N","0.0050","<","U","mg/L","0.0050","mg/L","0.0050","mg/L","0.010","mg/L","Yes","TRG","","","","T","initial","Wet","1","","50","mL","50","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 11:58","09/24/2015 13:14","TestAmerica Savannah","680-117013-3","402743","SM4500NH3_G Ammonia","4500 NH3 G-2011","4500 NH3 B-2011","7664-41-7","Ammonia","N","0.10","<","U","mg/L","0.10","mg/L","0.10","mg/L","0.25","mg/L","Yes","TRG","","","","T","initial","Wet","1","","6","mL","6","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7429-90-5","Aluminum","Y","32000","","ug/L","24","ug/L","24","ug/L","200","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-36-0","Antimony","Y","6.3","","J","ug/L","5.3","ug/L","5.3","ug/L","20","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-38-2","Arsenic","Y","44","","ug/L","6.2","ug/L","6.2","ug/L","20","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-39-

3,"Barium","N","1.7","<","U","ug/L","1.7","ug/L","1.7","ug/L","10","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-41-

7,"Beryllium","Y","13","","","ug/L","0.10","ug/L","0.10","ug/L","4.0","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-42-

8,"Boron","N","36","<","U","ug/L","36","ug/L","36","ug/L","100","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-43-

9,"Cadmium","Y","84","","","ug/L","1.0","ug/L","1.0","ug/L","5.0","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-70-

2,"Calcium","Y","460000","","","ug/L","250","ug/L","250","ug/L","5000","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-47-

3,"Chromium","N","16","<","U","ug/L","16","ug/L","16","ug/L","100","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-48-

4,"Cobalt","Y","120","","","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-50-

8,"Copper","Y","7800","","","ug/L","1.8","ug/L","1.8","ug/L","20","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-89-

6,"Iron","Y","120000","","","ug/L","17","ug/L","17","ug/L","50","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-92-

1,"Lead","N","39","<","U","ug/L","39","ug/L","39","ug/L","100","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-95-

4,"Magnesium","Y","31000","","","ug/L","330","ug/L","330","ug/L","5000","ug/L","Yes","TRG","","","","TOTAL","initial","Wet","10","","50","mL","50","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:23","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7439-96-

5,"Manganese","Y","42000","","","ug/L","10","ug/L","10","ug/L","100","ug/L","Yes","TRG","","","","TOTAL

", "initial", "Wet", "10", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7439-98-
 7", "Molybdenum", "Y", "4.8", "", "J", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "TOTAL",
 ", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-02-
 0", "Nickel", "Y", "64", "", "", "ug/L", "2.1", "ug/L", "2.1", "ug/L", "40", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "initial",
 "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-09-
 7", "Potassium", "Y", "3000", "", "", "ug/L", "17", "ug/L", "17", "ug/L", "1000", "ug/L", "Yes", "TRG", "", "", "", "TOTAL",
 ", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7782-49-
 2", "Selenium", "N", "9.9", "<", "U", "ug/L", "9.9", "ug/L", "9.9", "ug/L", "20", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "
 initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-22-
 4", "Silver", "N", "0.60", "<", "U", "ug/L", "0.60", "ug/L", "0.60", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "
 initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:23", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-23-
 5", "Sodium", "N", "4800", "<", "U", "ug/L", "4800", "ug/L", "4800", "ug/L", "10000", "ug/L", "Yes", "TRG", "", "", "", "T
 OTAL", "initial", "Wet", "10", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-24-
 6", "Strontium", "Y", "5900", "", "", "ug/L", "0.90", "ug/L", "0.90", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "TOTAL",
 ", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:23", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-28-
 0", "Thallium", "N", "60", "<", "U", "ug/L", "60", "ug/L", "60", "ug/L", "250", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "in
 itial", "Wet", "10", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-31-
 5", "Tin", "N", "5.5", "<", "U", "ug/L", "5.5", "ug/L", "5.5", "ug/L", "50", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "initial",
 "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-32-
 6", "Titanium", "Y", "1.7", "", "J", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "i
 nitial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",
 "CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "09/24/2015
 12:45", "09/24/2015 23:19", "TestAmerica Savannah", "680-117013-3", "402827", "6010C Metals
 (ICP)", "6010C", "3005A", "7440-62-
 2", "Vanadium", "Y", "33", "", "", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "TOTAL", "init
 ial", "Wet", "1", "", "50", "mL", "50", "mL", "", "0", "", "",

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:45","09/24/2015 23:19","TestAmerica Savannah","680-117013-3","402827","6010C Metals (ICP)","6010C","3005A","7440-66-6","Zinc","Y","26000","ug/L","7.0","ug/L","7.0","ug/L","20","ug/L","Yes","TRG","","","TOTAL","initial","Wet","1","50","mL","50","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 10:18","09/24/2015 18:11","TestAmerica Savannah","680-117013-3","402821","7470A Mercury (CVAA)","7470A","7470A","7439-97-6","Mercury","N","0.080","<","U","ug/L","0.080","ug/L","0.080","ug/L","0.20","ug/L","Yes","TRG","","","TOTAL","initial","Wet","1","50","mL","50","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12674-11-2","PCB-1016","N","0.17","<","U","ug/L","0.17","ug/L","0.17","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11104-28-2","PCB-1221","N","0.18","<","U","ug/L","0.18","ug/L","0.18","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11141-16-5","PCB-1232","N","0.24","<","U","ug/L","0.24","ug/L","0.24","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","53469-21-9","PCB-1242","N","0.18","<","U","ug/L","0.18","ug/L","0.18","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12672-29-6","PCB-1248","N","0.20","<","U","ug/L","0.20","ug/L","0.20","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11097-69-1","PCB-1254","N","0.11","<","U","ug/L","0.11","ug/L","0.11","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 15:11","09/25/2015 16:02","TestAmerica Savannah","680-117013-3","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11096-82-5","PCB-1260","N","0.12","<","U","ug/L","0.12","ug/L","0.12","ug/L","0.97","ug/L","Yes","TRG","","","T","initial","Wet","1","1034.3","mL","10","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 11:25","TestAmerica Savannah","680-117013-3","402733","3500_CR_D Chromium, Hexavalent","SM 3500 CR D","18540-29-9","Cr(VI)","Y","0.014","H","mg/L","0.0030","mg/L","0.0030","mg/L","0.010","mg/L","Yes","TRG","","","T","initial","Wet","1","2","mL","2","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","630-20-6","1,1,1,2-Tetrachloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","5","mL","5","mL","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","09/24/2015

12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "71-55-6", "1,1,1-
Trichloroethane", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "79-34-5", "1,1,2,2-
Tetrachloroethane", "N", "0.62", "<", "U", "ug/L", "0.62", "ug/L", "0.62", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "79-00-5", "1,1,2-
Trichloroethane", "N", "0.33", "<", "U", "ug/L", "0.33", "ug/L", "0.33", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "75-34-3", "1,1-
Dichloroethane", "N", "0.38", "<", "U", "ug/L", "0.38", "ug/L", "0.38", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "75-35-4", "1,1-
Dichloroethene", "N", "0.36", "<", "U", "ug/L", "0.36", "ug/L", "0.36", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "563-58-6", "1,1-
Dichloropropene", "N", "0.34", "<", "U", "ug/L", "0.34", "ug/L", "0.34", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "87-61-6", "1,2,3-
Trichlorobenzene", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "96-18-4", "1,2,3-
Trichloropropane", "N", "0.39", "<", "U", "ug/L", "0.39", "ug/L", "0.39", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "120-82-1", "1,2,4-
Trichlorobenzene", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "95-63-6", "1,2,4-
Trimethylbenzene", "N", "0.47", "<", "U", "ug/L", "0.47", "ug/L", "0.47", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "96-12-8", "1,2-Dibromo-3-
Chloropropane", "N", "1.1", "<", "U", "ug/L", "1.1", "ug/L", "1.1", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "106-93-

4", "1,2-
Dibromoethane", "N", "0.44", "<", "U", "ug/L", "0.44", "ug/L", "0.44", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
"initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "107-06-
2", "1,2-
Dichloroethane", "N", "0.50", "<", "U", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
"initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "540-59-
0", "1,2-Dichloroethene,
Total", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "2.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "W
et", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "78-87-
5", "1,2-
Dichloropropane", "N", "0.67", "<", "U", "ug/L", "0.67", "ug/L", "0.67", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
"initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "108-67-
8", "1,3,5-
Trimethylbenzene", "N", "0.31", "<", "U", "ug/L", "0.31", "ug/L", "0.31", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
"initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "142-28-
9", "1,3-
Dichloropropane", "N", "0.34", "<", "U", "ug/L", "0.34", "ug/L", "0.34", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
"initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "594-20-
7", "2,2-
Dichloropropane", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T",
"initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "78-93-
3", "2-
Butanone", "N", "3.4", "<", "U", "ug/L", "3.4", "ug/L", "3.4", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "
Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "110-75-
8", "2-Chloroethyl vinyl
ether", "N", "5.0", "<", "U", "ug/L", "5.0", "ug/L", "5.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "
1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "95-49-
8", "2-
Chlorotoluene", "N", "0.27", "<", "U", "ug/L", "0.27", "ug/L", "0.27", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "i
nitial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "591-78-
6", "2-
Hexanone", "N", "2.0", "<", "U", "ug/L", "2.0", "ug/L", "2.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "
Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "106-43-
4", "4-

Chlorotoluene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-10-1","4-Methyl-2-pentanone","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","67-64-1","Acetone","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","71-43-2","Benzene","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-86-1","Bromobenzene","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","74-97-5","Bromochloromethane","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-27-4","Bromodichloromethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-25-2","Bromoform","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","74-83-9","Bromomethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-15-0","Carbon disulfide","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","56-23-5","Carbon tetrachloride","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-90-7","Chlorobenzene","N","0.26","<","U","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-00-3","Chloroethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","","","T","initial","Wet","1","","5","mL","5","mL","","0","","","
 "CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","67-66-

3", "Chloroform", "N", "0.50", "<", "U", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "74-87-3", "Chloromethane", "N", "0.40", "<", "U", "ug/L", "0.40", "ug/L", "0.40", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "156-59-2", "cis-1,2-Dichloroethene", "N", "0.41", "<", "U", "ug/L", "0.41", "ug/L", "0.41", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "10061-01-5", "cis-1,3-Dichloropropene", "N", "0.40", "<", "U", "ug/L", "0.40", "ug/L", "0.40", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "124-48-1", "Dibromochloromethane", "N", "0.32", "<", "U", "ug/L", "0.32", "ug/L", "0.32", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "74-95-3", "Dibromomethane", "N", "0.35", "<", "U", "ug/L", "0.35", "ug/L", "0.35", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "75-71-8", "Dichlorodifluoromethane", "N", "0.60", "<", "U", "ug/L", "0.60", "ug/L", "0.60", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "100-41-4", "Ethylbenzene", "N", "0.33", "<", "U", "ug/L", "0.33", "ug/L", "0.33", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "98-82-8", "Isopropylbenzene", "N", "0.35", "<", "U", "ug/L", "0.35", "ug/L", "0.35", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "1634-04-4", "Methyl tert-butyl ether", "N", "0.30", "<", "U", "ug/L", "0.30", "ug/L", "0.30", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "75-09-2", "Methylene Chloride", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "179601-23-1", "m-Xylene & p-Xylene", "N", "0.35", "<", "U", "ug/L", "0.35", "ug/L", "0.35", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "104-51-8", "n-Butylbenzene", "N", "0.47", "<", "U", "ug/L", "0.47", "ug/L", "0.47", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-Propylbenzene","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-Xylene","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-Isopropyltoluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-Butylbenzene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","100-42-5","Styrene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-Butylbenzene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","127-18-4","Tetrachloroethene","N","0.74","<","U","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","108-88-3","Toluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-Dichloroethene","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","79-01-6","Trichloroethene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","75-69-4","Trichlorofluoromethane","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

"CC06_09212015_1300","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015 12:02","TestAmerica Savannah","680-117013-3","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","","","T","initial","Wet","1","","5","mL","5","mL","","0","","",""

12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "108-05-4", "Vinyl acetate", "N", "0.81", "<", "U", "ug/L", "0.81", "ug/L", "0.81", "ug/L", "2.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "75-01-4", "Vinyl chloride", "N", "0.50", "<", "U", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"CC06_09212015_1300", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 12:02", "TestAmerica Savannah", "680-117013-3", "402596", "8260B SM 6200B", "SM 6200B", "", "1330-20-7", "Xylenes, Total", "N", "0.23", "<", "U", "ug/L", "0.23", "ug/L", "0.23", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "630-20-6", "1,1,1,2-Tetrachloroethane", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "71-55-6", "1,1,1-Trichloroethane", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "79-34-5", "1,1,2,2-Tetrachloroethane", "N", "0.62", "<", "U", "ug/L", "0.62", "ug/L", "0.62", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "79-00-5", "1,1,2-Trichloroethane", "N", "0.33", "<", "U", "ug/L", "0.33", "ug/L", "0.33", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-34-3", "1,1-Dichloroethane", "N", "0.38", "<", "U", "ug/L", "0.38", "ug/L", "0.38", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-35-4", "1,1-Dichloroethene", "N", "0.36", "<", "U", "ug/L", "0.36", "ug/L", "0.36", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "563-58-6", "1,1-Dichloropropene", "N", "0.34", "<", "U", "ug/L", "0.34", "ug/L", "0.34", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "87-61-6", "1,2,3-Trichlorobenzene", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "96-18-

4", "1,2,3-
Trichloropropane", "N", "0.39", "<", "U", "ug/L", "0.39", "ug/L", "0.39", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "120-82-1", "1,2,4-
Trichlorobenzene", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "95-63-6", "1,2,4-
Trimethylbenzene", "N", "0.47", "<", "U", "ug/L", "0.47", "ug/L", "0.47", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "96-12-8", "1,2-Dibromo-3-
Chloropropane", "N", "1.1", "<", "U", "ug/L", "1.1", "ug/L", "1.1", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "106-93-4", "1,2-
Dibromoethane", "N", "0.44", "<", "U", "ug/L", "0.44", "ug/L", "0.44", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "107-06-2", "1,2-
Dichloroethane", "N", "0.50", "<", "U", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "540-59-0", "1,2-Dichloroethene,
Total", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "2.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "78-87-5", "1,2-
Dichloropropane", "N", "0.67", "<", "U", "ug/L", "0.67", "ug/L", "0.67", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "108-67-8", "1,3,5-
Trimethylbenzene", "N", "0.31", "<", "U", "ug/L", "0.31", "ug/L", "0.31", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "142-28-9", "1,3-
Dichloropropane", "N", "0.34", "<", "U", "ug/L", "0.34", "ug/L", "0.34", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "594-20-7", "2,2-
Dichloropropane", "N", "0.37", "<", "U", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "78-93-3", "2-

Butanone", "N", "3.4", "<", "U", "ug/L", "3.4", "ug/L", "3.4", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "110-75-8", "2-Chloroethyl vinyl ether", "N", "5.0", "<", "U", "ug/L", "5.0", "ug/L", "5.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "95-49-8", "2-Chlorotoluene", "N", "0.27", "<", "U", "ug/L", "0.27", "ug/L", "0.27", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "591-78-6", "2-Hexanone", "N", "2.0", "<", "U", "ug/L", "2.0", "ug/L", "2.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "106-43-4", "4-Chlorotoluene", "N", "0.45", "<", "U", "ug/L", "0.45", "ug/L", "0.45", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "108-10-1", "4-Methyl-2-pentanone", "N", "2.1", "<", "U", "ug/L", "2.1", "ug/L", "2.1", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "67-64-1", "Acetone", "N", "7.0", "<", "U", "ug/L", "7.0", "ug/L", "7.0", "ug/L", "10", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "71-43-2", "Benzene", "N", "0.43", "<", "U", "ug/L", "0.43", "ug/L", "0.43", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "108-86-1", "Bromobenzene", "N", "0.50", "<", "U", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "74-97-5", "Bromochloromethane", "N", "0.45", "<", "U", "ug/L", "0.45", "ug/L", "0.45", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-27-4", "Bromodichloromethane", "N", "0.44", "<", "U", "ug/L", "0.44", "ug/L", "0.44", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-25-2", "Bromoform", "N", "0.43", "<", "U", "ug/L", "0.43", "ug/L", "0.43", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "74-83-9", "Bromomethane", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015

11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-15-0", "Carbon disulfide", "N", "1.0", "<", "U", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "2.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "56-23-5", "Carbon tetrachloride", "N", "0.33", "<", "U", "ug/L", "0.33", "ug/L", "0.33", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "108-90-7", "Chlorobenzene", "N", "0.26", "<", "U", "ug/L", "0.26", "ug/L", "0.26", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-00-3", "Chloroethane", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "67-66-3", "Chloroform", "N", "0.50", "<", "U", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "74-87-3", "Chloromethane", "N", "0.40", "<", "U", "ug/L", "0.40", "ug/L", "0.40", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "156-59-2", "cis-1,2-Dichloroethene", "N", "0.41", "<", "U", "ug/L", "0.41", "ug/L", "0.41", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "10061-01-5", "cis-1,3-Dichloropropene", "N", "0.40", "<", "U", "ug/L", "0.40", "ug/L", "0.40", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "124-48-1", "Dibromochloromethane", "N", "0.32", "<", "U", "ug/L", "0.32", "ug/L", "0.32", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "74-95-3", "Dibromomethane", "N", "0.35", "<", "U", "ug/L", "0.35", "ug/L", "0.35", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-71-8", "Dichlorodifluoromethane", "N", "0.60", "<", "U", "ug/L", "0.60", "ug/L", "0.60", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "100-41-4", "Ethylbenzene", "N", "0.33", "<", "U", "ug/L", "0.33", "ug/L", "0.33", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""
 "Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015
 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "98-82-8", "Isopropylbenzene", "N", "0.35", "<", "U", "ug/L", "0.35", "ug/L", "0.35", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "1634-04-4", "Methyl tert-butyl ether", "N", "0.30", "<", "U", "ug/L", "0.30", "ug/L", "0.30", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-09-2", "Methylene Chloride", "N", "2.5", "<", "U", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "179601-23-1", "m-Xylene & p-Xylene", "N", "0.35", "<", "U", "ug/L", "0.35", "ug/L", "0.35", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "104-51-8", "n-Butylbenzene", "N", "0.47", "<", "U", "ug/L", "0.47", "ug/L", "0.47", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "103-65-1", "N-Propylbenzene", "N", "0.38", "<", "U", "ug/L", "0.38", "ug/L", "0.38", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "95-47-6", "o-Xylene", "N", "0.23", "<", "U", "ug/L", "0.23", "ug/L", "0.23", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "99-87-6", "p-Isopropyltoluene", "N", "0.48", "<", "U", "ug/L", "0.48", "ug/L", "0.48", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "135-98-8", "sec-Butylbenzene", "N", "0.42", "<", "U", "ug/L", "0.42", "ug/L", "0.42", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "100-42-5", "Styrene", "N", "0.27", "<", "U", "ug/L", "0.27", "ug/L", "0.27", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "98-06-6", "tert-Butylbenzene", "N", "0.45", "<", "U", "ug/L", "0.45", "ug/L", "0.45", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "127-18-4", "Tetrachloroethene", "N", "0.74", "<", "U", "ug/L", "0.74", "ug/L", "0.74", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "0", "", "", ""

"Trip Blank", "", "Water", "Normal", "", "09/21/2015 13:00", "09/23/2015 00:00", "", "09/24/2015 11:41", "TestAmerica Savannah", "680-117013-4", "402596", "8260B SM 6200B", "SM 6200B", "", "108-88-3", "Toluene", "N", "0.48", "<", "U", "ug/L", "0.48", "ug/L", "0.48", "ug/L", "1.0", "ug/L", "Yes", "TRG", "", "", "", "T", "init

ial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","156-60-
5","trans-1,2-
Dichloroethene","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","10061-02-
6","trans-1,3-
Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","79-01-
6","Trichloroethene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-69-
4","Trichlorofluoromethane","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","108-05-
4","Vinyl
acetate","N","0.81","<","U","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","75-01-
4","Vinyl
chloride","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"Trip Blank","","Water","Normal","","09/21/2015 13:00","09/23/2015 00:00","","09/24/2015
11:41","TestAmerica Savannah","680-117013-4","402596","8260B SM 6200B","SM 6200B","","1330-20-
7","Xylenes,
Total","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","","","T",
"initial","Wet","1","","5","mL","5","mL","","0","","","
"LCS","","Water","Normal","","09/24/2015 07:30","09/24/2015 11:51","TestAmerica Savannah","LCS
680-402594/2-A","402691","4500_CN_E Cyanide, Total: Colorimetric Method","4500 CN E-
2011","Distill/CN","57-12-5","Cyanide,
Total","Y","0.0503","mg/L","0.0050","mg/L","0.0050","mg/L","0.010","mg/L","Yes","TRG","Laboratory_
Control_Sample","","T","initial","Wet","1","","50","mL","50","mL","1","","
"LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","630-20-6","1,1,1,2-
Tetrachloroethane","Y","46.2","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_
Control_Sample","","T","initial","Wet","1","","5","mL","5","mL","1","","
"LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","71-55-6","1,1,1-
Trichloroethane","Y","53.6","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_C
ontrol_Sample","","T","initial","Wet","1","","5","mL","5","mL","1","","
"LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","79-34-5","1,1,2,2-
Tetrachloroethane","Y","50.6","ug/L","0.62","ug/L","0.62","ug/L","1.0","ug/L","Yes","TRG","Laboratory_
Control_Sample","","T","initial","Wet","1","","5","mL","5","mL","1","","
"LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-
402596/4","402596","8260B SM 6200B","SM 6200B","79-00-5","1,1,2-
Trichloroethane","Y","48.7","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Laboratory_C
ontrol_Sample","","T","initial","Wet","1","","5","mL","5","mL","1","","
"LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-34-3", "1,1-Dichloroethane", "Y", "47.7", "", "", "ug/L", "0.38", "ug/L", "0.38", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "75-35-4", "1,1-Dichloroethene", "Y", "44.6", "", "", "ug/L", "0.36", "ug/L", "0.36", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "563-58-6", "1,1-Dichloropropene", "Y", "53.8", "", "", "ug/L", "0.34", "ug/L", "0.34", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "87-61-6", "1,2,3-Trichlorobenzene", "Y", "42.3", "", "", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "96-18-4", "1,2,3-Trichloropropane", "Y", "51.6", "", "", "ug/L", "0.39", "ug/L", "0.39", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "120-82-1", "1,2,4-Trichlorobenzene", "Y", "42.4", "", "", "ug/L", "2.5", "ug/L", "2.5", "ug/L", "5.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "95-63-6", "1,2,4-Trimethylbenzene", "Y", "47.4", "", "", "ug/L", "0.47", "ug/L", "0.47", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "96-12-8", "1,2-Dibromo-3-Chloropropane", "Y", "40.6", "", "", "ug/L", "1.1", "ug/L", "1.1", "ug/L", "5.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "106-93-4", "1,2-Dibromoethane", "Y", "52.3", "", "", "ug/L", "0.44", "ug/L", "0.44", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "107-06-2", "1,2-Dichloroethane", "Y", "50.2", "", "", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "540-59-0", "1,2-Dichloroethene, Total", "Y", "101", "", "", "ug/L", "0.37", "ug/L", "0.37", "ug/L", "2.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "78-87-5", "1,2-Dichloropropane", "Y", "48.6", "", "", "ug/L", "0.67", "ug/L", "0.67", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "108-67-8", "1,3,5-Trimethylbenzene", "Y", "52.1", "", "", "ug/L", "0.31", "ug/L", "0.31", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-402596/4", "402596", "8260B SM 6200B", "SM 6200B", "", "142-28-9", "1,3-Dichloropropane", "Y", "50.9", "", "", "ug/L", "0.34", "ug/L", "0.34", "ug/L", "1.0", "ug/L", "Yes", "TRG", "Laboratory_Control_Sample", "", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "", "LCS", "", "Water", "Normal", "", "", "", "09/24/2015 09:39", "TestAmerica Savannah", "LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","594-20-7","2,2-Dichloropropane","Y","54.1","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","78-93-3","2-Butanone","Y","239","ug/L","3.4","ug/L","3.4","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","110-75-8","2-Chloroethyl vinyl ether","Y","50.3","ug/L","5.0","ug/L","5.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","95-49-8","2-Chlorotoluene","Y","51.0","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","591-78-6","2-Hexanone","Y","260","ug/L","2.0","ug/L","2.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","106-43-4","4-Chlorotoluene","Y","50.6","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-10-1","4-Methyl-2-pentanone","Y","250","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","67-64-1","Acetone","Y","212","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","71-43-2","Benzene","Y","51.8","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-86-1","Bromobenzene","Y","50.3","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","74-97-5","Bromochloromethane","Y","43.4","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-27-4","Bromodichloromethane","Y","50.9","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-25-2","Bromoform","Y","42.8","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","74-83-9","Bromomethane","Y","46.3","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","LCS","","Water","Normal","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-15-0","Carbon disulfide","Y","42.9","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","56-23-5","Carbon tetrachloride","Y","55.1","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-90-7","Chlorobenzene","Y","51.7","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-00-3","Chloroethane","Y","40.9","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","67-66-3","Chloroform","Y","51.2","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","74-87-3","Chloromethane","Y","41.2","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","156-59-2","cis-1,2-Dichloroethene","Y","51.5","ug/L","0.41","ug/L","0.41","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","10061-01-5","cis-1,3-Dichloropropene","Y","53.1","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","124-48-1","Dibromochloromethane","Y","47.0","ug/L","0.32","ug/L","0.32","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","74-95-3","Dibromomethane","Y","48.1","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-71-8","Dichlorodifluoromethane","Y","46.4","ug/L","0.60","ug/L","0.60","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","100-41-4","Ethylbenzene","Y","53.3","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","98-82-8","Isopropylbenzene","Y","53.5","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","1634-04-4","Methyl tert-butyl ether","Y","50.6","ug/L","0.30","ug/L","0.30","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-09-2","Methylene Chloride","Y","41.1","","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","179601-23-1","m-Xylene & p-Xylene","Y","53.0","","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","104-51-8","n-Butylbenzene","Y","54.5","","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-Propylbenzene","Y","53.1","","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-Xylene","Y","52.1","","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-Isopropyltoluene","Y","47.3","","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-Butylbenzene","Y","48.0","","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","100-42-5","Styrene","Y","53.3","","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-Butylbenzene","Y","48.5","","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","127-18-4","Tetrachloroethene","Y","49.0","","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-88-3","Toluene","Y","50.1","","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-Dichloroethene","Y","49.8","","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","Y","45.0","","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","79-01-6","Trichloroethene","Y","53.2","","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-

402596/4","402596","8260B SM 6200B","SM 6200B","","75-69-4","Trichlorofluoromethane","Y","43.2","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","108-05-4","Vinyl acetate","Y","80.6","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","75-01-4","Vinyl chloride","Y","44.4","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:39","TestAmerica Savannah","LCS 680-402596/4","402596","8260B SM 6200B","SM 6200B","","1330-20-7","Xylenes, Total","Y","105","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","5","mL","5","mL","1","","","LCS","","Water","Normal","","","09/24/2015 09:16","09/24/2015 16:49","TestAmerica Savannah","LCS 680-402606/14-A","402821","7470A Mercury (CVAA)","7470A","7470A","7439-97-6","Mercury","Y","2.50","ug/L","0.080","ug/L","0.080","ug/L","0.20","ug/L","Yes","TRG","Laboratory_Control_Sample","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","LCS","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:44","TestAmerica Savannah","LCS 680-402617/23-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12674-11-2","PCB-1016","Y","4.23","ug/L","0.18","ug/L","0.18","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","1000","mL","10","mL","1","","","LCS","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:44","TestAmerica Savannah","LCS 680-402617/23-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11096-82-5","PCB-1260","Y","4.45","ug/L","0.12","ug/L","0.12","ug/L","1.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","1000","mL","10","mL","1","","","LCS","","Water","Normal","","","09/24/2015 11:58","09/24/2015 13:04","TestAmerica Savannah","LCS 680-402677/2-A","402743","SM4500NH3_G Ammonia","4500 NH3 G-2011","4500 NH3 B-2011","7664-41-7","Ammonia","Y","1.09","mg/L","0.10","mg/L","0.10","mg/L","0.25","mg/L","Yes","TRG","Laboratory_Control_Sample","","","T","initial","Wet","1","6","mL","6","mL","1","","","LCS","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7429-90-5","Aluminum","Y","4900","ug/L","24","ug/L","24","ug/L","200","ug/L","Yes","TRG","Laboratory_Control_Sample","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","LCS","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-36-0","Antimony","Y","51.2","ug/L","5.3","ug/L","5.3","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_Sample","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","LCS","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-38-2","Arsenic","Y","114","ug/L","6.2","ug/L","6.2","ug/L","20","ug/L","Yes","TRG","Laboratory_Control_Sample","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","LCS","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-39-3","Barium","Y","102","ug/L","1.7","ug/L","1.7","ug/L","10","ug/L","Yes","TRG","Laboratory_Control_Sample","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","LCS","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-41-7","Beryllium","Y","53.4","ug/L","0.10","ug/L","0.10","ug/L","4.0","ug/L","Yes","TRG","Laboratory_Control_Sample","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","LCS","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:16","TestAmerica Savannah","LCS 680-402714/2-A","402827","6010C Metals (ICP)","6010C","3005A","7440-42-8","Boron","Y","201","ug/L","36","ug/L","36","ug/L","100","ug/L","Yes","TRG","Laboratory_Control_Sa

mple", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-43-
9", "Cadmium", "Y", "52.6", "", "", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "5.0", "ug/L", "Yes", "TRG", "Laboratory_Control
_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-70-
2", "Calcium", "Y", "5090", "", "", "ug/L", "25", "ug/L", "25", "ug/L", "500", "ug/L", "Yes", "TRG", "Laboratory_Control_
Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-47-
3", "Chromium", "Y", "104", "", "", "ug/L", "1.6", "ug/L", "1.6", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control_
_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-48-
4", "Cobalt", "Y", "52.4", "", "", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control_Sa
mple", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-50-
8", "Copper", "Y", "106", "", "", "ug/L", "1.8", "ug/L", "1.8", "ug/L", "20", "ug/L", "Yes", "TRG", "Laboratory_Control_S
ample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7439-89-
6", "Iron", "Y", "4890", "", "", "ug/L", "17", "ug/L", "17", "ug/L", "50", "ug/L", "Yes", "TRG", "Laboratory_Control_Samp
le", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7439-92-
1", "Lead", "Y", "501", "", "", "ug/L", "3.9", "ug/L", "3.9", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control_Sam
ple", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7439-95-
4", "Magnesium", "Y", "5240", "", "", "ug/L", "33", "ug/L", "33", "ug/L", "500", "ug/L", "Yes", "TRG", "Laboratory_Contr
ol_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7439-96-
5", "Manganese", "Y", "517", "", "", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control
_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7439-98-
7", "Molybdenum", "Y", "103", "", "", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Contr
ol_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-02-
0", "Nickel", "Y", "102", "", "", "ug/L", "2.1", "ug/L", "2.1", "ug/L", "40", "ug/L", "Yes", "TRG", "Laboratory_Control_Sa
mple", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-09-
7", "Potassium", "Y", "5280", "", "", "ug/L", "17", "ug/L", "17", "ug/L", "1000", "ug/L", "Yes", "TRG", "Laboratory_Contr
ol_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7782-49-
2", "Selenium", "Y", "111", "", "", "ug/L", "9.9", "ug/L", "9.9", "ug/L", "20", "ug/L", "Yes", "TRG", "Laboratory_Control_
Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
"LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-22-
4", "Silver", "Y", "50.4", "", "", "ug/L", "0.60", "ug/L", "0.60", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control_

Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-23-
 5", "Sodium", "Y", "5250", "", "", "ug/L", "480", "ug/L", "480", "ug/L", "1000", "ug/L", "Yes", "TRG", "Laboratory_Contr
 ol_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-24-
 6", "Strontium", "Y", "99.1", "", "", "ug/L", "0.90", "ug/L", "0.90", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Contr
 ol_Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-28-
 0", "Thallium", "Y", "42.9", "", "", "ug/L", "6.0", "ug/L", "6.0", "ug/L", "25", "ug/L", "Yes", "TRG", "Laboratory_Control_
 Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-31-
 5", "Tin", "Y", "196", "", "", "ug/L", "5.5", "ug/L", "5.5", "ug/L", "50", "ug/L", "Yes", "TRG", "Laboratory_Control_Sampl
 e", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-32-
 6", "Titanium", "Y", "102", "", "", "ug/L", "0.50", "ug/L", "0.50", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control_
 Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-62-
 2", "Vanadium", "Y", "104", "", "", "ug/L", "1.0", "ug/L", "1.0", "ug/L", "10", "ug/L", "Yes", "TRG", "Laboratory_Control_
 Sample", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 12:45", "09/24/2015 22:16", "TestAmerica Savannah", "LCS
 680-402714/2-A", "402827", "6010C Metals (ICP)", "6010C", "3005A", "7440-66-
 6", "Zinc", "Y", "100", "", "", "ug/L", "7.0", "ug/L", "7.0", "ug/L", "20", "ug/L", "Yes", "TRG", "Laboratory_Control_Sam
 ple", "", "", "TOTAL", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 11:25", "TestAmerica Savannah", "LCS 680-
 402733/1", "402733", "3500_CR_D Chromium, Hexavalent", "SM 3500 CR D", "", "18540-29-9", "Cr
 (VI)", "Y", "0.195", "", "", "mg/L", "0.0030", "mg/L", "0.0030", "mg/L", "0.010", "mg/L", "Yes", "TRG", "Laboratory_Co
 ntrol_Sample", "", "", "T", "initial", "Wet", "1", "", "2", "mL", "2", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 08:12", "TestAmerica Savannah", "LCS 680-
 402737/3", "402737", "300_ORGFMS Anions, Ion Chromatography", "300.0", "", "14797-55-8", "Nitrate as
 N", "Y", "1.05", "", "", "mg/L", "0.023", "mg/L", "0.023", "mg/L", "0.050", "mg/L", "Yes", "TRG", "Laboratory_Control_
 Sample", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 08:12", "TestAmerica Savannah", "LCS 680-
 402737/3", "402737", "300_ORGFMS Anions, Ion Chromatography", "300.0", "", "STL00217", "Nitrate Nitrite
 as
 N", "Y", "2.04", "", "", "mg/L", "0.023", "mg/L", "0.023", "mg/L", "0.050", "mg/L", "Yes", "TRG", "Laboratory_Control_
 Sample", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 08:12", "TestAmerica Savannah", "LCS 680-
 402737/3", "402737", "300_ORGFMS Anions, Ion Chromatography", "300.0", "", "14797-65-0", "Nitrite as
 N", "Y", "0.987", "", "", "mg/L", "0.023", "mg/L", "0.023", "mg/L", "0.050", "mg/L", "Yes", "TRG", "Laboratory_Control_
 Sample", "", "", "T", "initial", "Wet", "1", "", "5", "mL", "5", "mL", "", "1", "", "",
 "LCS", "", "Water", "Normal", "", "", "09/24/2015 15:23", "09/25/2015 09:36", "TestAmerica Savannah", "LCS
 680-402758/2-A", "402891", "351.2 Nitrogen, Total Kjeldahl", "351.2", "Digestion", "STL00296", "Nitrogen,
 Kjeldahl", "Y", "2.03", "", "", "mg/L", "0.10", "mg/L", "0.10", "mg/L", "0.20", "mg/L", "Yes", "TRG", "Laboratory_Contr
 ol_Sample", "", "", "T", "initial", "Wet", "1", "", "40", "mL", "40", "mL", "", "1", "", "",
 "MB", "", "Water", "Normal", "", "", "09/24/2015 07:30", "09/24/2015 11:50", "TestAmerica Savannah", "MB
 680-402594/1-A", "402691", "4500_CN_E Cyanide, Total: Colorimetric Method", "4500 CN E-
 2011", "Distill/CN", "57-12-5", "Cyanide,
 Total", "N", "0.0050", "<", "U", "mg/L", "0.0050", "mg/L", "0.0050", "mg/L", "0.010", "mg/L", "Yes", "TRG", "Method_
 Blank", "", "", "T", "initial", "Wet", "1", "", "50", "mL", "50", "mL", "", "1", "", "",
 "MB", "", "Water", "Normal", "", "", "09/24/2015 11:01", "TestAmerica Savannah", "MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","630-20-6","1,1,1,2-Tetrachloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","71-55-6","1,1,1-Trichloroethane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","79-34-5","1,1,2,2-Tetrachloroethane","N","0.62","<","U","ug/L","0.62","ug/L","0.62","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","79-00-5","1,1,2-Trichloroethane","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-34-3","1,1-Dichloroethane","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-35-4","1,1-Dichloroethene","N","0.36","<","U","ug/L","0.36","ug/L","0.36","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","563-58-6","1,1-Dichloropropene","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","87-61-6","1,2,3-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","96-18-4","1,2,3-Trichloropropane","N","0.39","<","U","ug/L","0.39","ug/L","0.39","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","120-82-1","1,2,4-Trichlorobenzene","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","95-63-6","1,2,4-Trimethylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","96-12-8","1,2-Dibromo-3-Chloropropane","N","1.1","<","U","ug/L","1.1","ug/L","1.1","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","106-93-4","1,2-Dibromoethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","107-06-2","1,2-Dichloroethane","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","540-59-0","1,2-Dichloroethene, Total","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","2.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","78-87-5","1,2-Dichloropropane","N","0.67","<","U","ug/L","0.67","ug/L","0.67","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-67-8","1,3,5-Trimethylbenzene","N","0.31","<","U","ug/L","0.31","ug/L","0.31","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","142-28-9","1,3-Dichloropropane","N","0.34","<","U","ug/L","0.34","ug/L","0.34","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","594-20-7","2,2-Dichloropropane","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","78-93-3","2-Butanone","N","3.4","<","U","ug/L","3.4","ug/L","3.4","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","110-75-8","2-Chloroethyl vinyl ether","N","5.0","<","U","ug/L","5.0","ug/L","5.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","95-49-8","2-Chlorotoluene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","591-78-6","2-Hexanone","N","2.0","<","U","ug/L","2.0","ug/L","2.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","106-43-4","4-Chlorotoluene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-10-1","4-Methyl-2-pentanone","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","67-64-1","Acetone","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","71-43-2","Benzene","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-86-1","Bromobenzene","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","5","mL","5","mL","1","MB","","Water","Normal","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","74-97-5","Bromochloromethane","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-27-4","Bromodichloromethane","N","0.44","<","U","ug/L","0.44","ug/L","0.44","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-25-2","Bromoform","N","0.43","<","U","ug/L","0.43","ug/L","0.43","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","74-83-9","Bromomethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-15-0","Carbon disulfide","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","2.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","56-23-5","Carbon tetrachloride","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-90-7","Chlorobenzene","N","0.26","<","U","ug/L","0.26","ug/L","0.26","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-00-3","Chloroethane","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","67-66-3","Chloroform","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","74-87-3","Chloromethane","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","156-59-2","cis-1,2-Dichloroethene","N","0.41","<","U","ug/L","0.41","ug/L","0.41","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","10061-01-5","cis-1,3-Dichloropropene","N","0.40","<","U","ug/L","0.40","ug/L","0.40","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","124-48-1","Dibromochloromethane","N","0.32","<","U","ug/L","0.32","ug/L","0.32","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","74-95-3","Dibromomethane","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","75-71-8","Dichlorodifluoromethane","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","100-41-4","Ethylbenzene","N","0.33","<","U","ug/L","0.33","ug/L","0.33","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","98-82-8","Isopropylbenzene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","1634-04-4","Methyl tert-butyl ether","N","0.30","<","U","ug/L","0.30","ug/L","0.30","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-09-2","Methylene Chloride","N","2.5","<","U","ug/L","2.5","ug/L","2.5","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","179601-23-1","m-Xylene & p-Xylene","N","0.35","<","U","ug/L","0.35","ug/L","0.35","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","104-51-8","n-Butylbenzene","N","0.47","<","U","ug/L","0.47","ug/L","0.47","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","103-65-1","N-Propylbenzene","N","0.38","<","U","ug/L","0.38","ug/L","0.38","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","95-47-6","o-Xylene","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","99-87-6","p-Isopropyltoluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","135-98-8","sec-Butylbenzene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","100-42-5","Styrene","N","0.27","<","U","ug/L","0.27","ug/L","0.27","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","98-06-6","tert-Butylbenzene","N","0.45","<","U","ug/L","0.45","ug/L","0.45","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","127-18-4","Tetrachloroethene","N","0.74","<","U","ug/L","0.74","ug/L","0.74","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-

402596/8","402596","8260B SM 6200B","SM 6200B","","108-88-3","Toluene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","156-60-5","trans-1,2-Dichloroethene","N","0.37","<","U","ug/L","0.37","ug/L","0.37","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","10061-02-6","trans-1,3-Dichloropropene","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","79-01-6","Trichloroethene","N","0.48","<","U","ug/L","0.48","ug/L","0.48","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-69-4","Trichlorofluoromethane","N","0.42","<","U","ug/L","0.42","ug/L","0.42","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","108-05-4","Vinyl acetate","N","0.81","<","U","ug/L","0.81","ug/L","0.81","ug/L","2.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","75-01-4","Vinyl chloride","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 11:01","TestAmerica Savannah","MB 680-402596/8","402596","8260B SM 6200B","SM 6200B","","1330-20-7","Xylenes, Total","N","0.23","<","U","ug/L","0.23","ug/L","0.23","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","5","mL","5","mL","1","","","MB","","Water","Normal","","","09/24/2015 09:16","09/24/2015 16:46","TestAmerica Savannah","MB 680-402606/13-A","402821","7470A Mercury (CVAA)","7470A","7470A","7439-97-6","Mercury","N","0.080","<","U","ug/L","0.080","ug/L","0.080","ug/L","0.20","ug/L","Yes","TRG","Method_Blank","","","TOTAL","initial","Wet","1","50","mL","50","mL","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12674-11-2","PCB-1016","N","0.18","<","U","ug/L","0.18","ug/L","0.18","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","1000","mL","10","mL","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11104-28-2","PCB-1221","N","0.19","<","U","ug/L","0.19","ug/L","0.19","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","1000","mL","10","mL","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11141-16-5","PCB-1232","N","0.25","<","U","ug/L","0.25","ug/L","0.25","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","1000","mL","10","mL","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","53469-21-9","PCB-1242","N","0.19","<","U","ug/L","0.19","ug/L","0.19","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","T","initial","Wet","1","1000","mL","10","mL","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB

680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","12672-29-6","PCB-1248","N","0.21","<","U","ug/L","0.21","ug/L","0.21","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11097-69-1","PCB-1254","N","0.11","<","U","ug/L","0.11","ug/L","0.11","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","","MB","","Water","Normal","","","09/24/2015 15:11","09/25/2015 14:14","TestAmerica Savannah","MB 680-402617/17-A","402864","8082A Polychlorinated Biphenyls (PCBs) by Gas Chromatography","8082A","3520C","11096-82-5","PCB-1260","N","0.12","<","U","ug/L","0.12","ug/L","0.12","ug/L","1.0","ug/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","1000","mL","10","mL","","1","","","MB","","Water","Normal","","","09/24/2015 11:58","09/24/2015 13:04","TestAmerica Savannah","MB 680-402677/1-A","402743","SM4500NH3_G Ammonia","4500 NH3 G-2011","4500 NH3 B-2011","7664-41-7","Ammonia","N","0.10","<","U","mg/L","0.10","mg/L","0.10","mg/L","0.25","mg/L","Yes","TRG","Method_Blank","","","","T","initial","Wet","1","","6","mL","6","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7429-90-5","Aluminum","N","24","<","U","ug/L","24","ug/L","24","ug/L","200","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-36-0","Antimony","N","5.3","<","U","ug/L","5.3","ug/L","5.3","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-38-2","Arsenic","N","6.2","<","U","ug/L","6.2","ug/L","6.2","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-39-3","Barium","N","1.7","<","U","ug/L","1.7","ug/L","1.7","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-41-7","Beryllium","N","0.10","<","U","ug/L","0.10","ug/L","0.10","ug/L","4.0","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-42-8","Boron","N","36","<","U","ug/L","36","ug/L","36","ug/L","100","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-43-9","Cadmium","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","5.0","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-70-2","Calcium","N","25","<","U","ug/L","25","ug/L","25","ug/L","500","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-47-3","Chromium","N","1.6","<","U","ug/L","1.6","ug/L","1.6","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB 680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-48-

4","Cobalt","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank","","","",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-50-
8","Copper","N","1.8","<","U","ug/L","1.8","ug/L","1.8","ug/L","20","ug/L","Yes","TRG","Method_Blank","","",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-89-
6","Iron","N","17","<","U","ug/L","17","ug/L","17","ug/L","50","ug/L","Yes","TRG","Method_Blank","","",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-92-
1","Lead","N","3.9","<","U","ug/L","3.9","ug/L","3.9","ug/L","10","ug/L","Yes","TRG","Method_Blank","","",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-95-
4","Magnesium","N","33","<","U","ug/L","33","ug/L","33","ug/L","500","ug/L","Yes","TRG","Method_Blank","",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-96-
5","Manganese","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7439-98-
7","Molybdenum","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-02-
0","Nickel","N","2.1","<","U","ug/L","2.1","ug/L","2.1","ug/L","40","ug/L","Yes","TRG","Method_Blank","",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-09-
7","Potassium","N","17","<","U","ug/L","17","ug/L","17","ug/L","1000","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7782-49-
2","Selenium","N","9.9","<","U","ug/L","9.9","ug/L","9.9","ug/L","20","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-22-
4","Silver","N","0.60","<","U","ug/L","0.60","ug/L","0.60","ug/L","10","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-23-
5","Sodium","N","480","<","U","ug/L","480","ug/L","480","ug/L","1000","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-24-
6","Strontium","N","0.90","<","U","ug/L","0.90","ug/L","0.90","ug/L","10","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-28-
0","Thallium","N","6.0","<","U","ug/L","6.0","ug/L","6.0","ug/L","25","ug/L","Yes","TRG","Method_Blank",
","TOTAL","initial","Wet","1","50","mL","50","mL","1","",
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-31-

5","Tin","N","5.5","<","U","ug/L","5.5","ug/L","5.5","ug/L","50","ug/L","Yes","TRG","Method_Blank","","","","T
OTAL","initial","Wet","1","","50","mL","50","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-32-
6","Titanium","N","0.50","<","U","ug/L","0.50","ug/L","0.50","ug/L","10","ug/L","Yes","TRG","Method_Blank"
","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-62-
2","Vanadium","N","1.0","<","U","ug/L","1.0","ug/L","1.0","ug/L","10","ug/L","Yes","TRG","Method_Blank",""
","","","TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 12:45","09/24/2015 22:12","TestAmerica Savannah","MB
680-402714/1-A","402827","6010C Metals (ICP)","6010C","3005A","7440-66-
6","Zinc","N","7.0","<","U","ug/L","7.0","ug/L","7.0","ug/L","20","ug/L","Yes","TRG","Method_Blank","","","",""
TOTAL","initial","Wet","1","","50","mL","50","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 11:25","TestAmerica Savannah","MB 680-
402733/2","402733","3500_CR_D Chromium, Hexavalent","SM 3500 CR D","","18540-29-9","Cr
(VI)","N","0.0030","<","U","mg/L","0.0030","mg/L","0.0030","mg/L","0.010","mg/L","Yes","TRG","Method_Bl
ank","","","T","initial","Wet","1","","2","mL","2","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 07:56","TestAmerica Savannah","MB 680-
402737/2","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-55-8","Nitrate as
N","N","0.023","<","U","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Method_Blank",""
","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 07:56","TestAmerica Savannah","MB 680-
402737/2","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","STL00217","Nitrate Nitrite
as
N","N","0.023","<","U","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Method_Blank",""
","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 07:56","TestAmerica Savannah","MB 680-
402737/2","402737","300_ORGFMS Anions, Ion Chromatography","300.0","","14797-65-0","Nitrite as
N","N","0.023","<","U","mg/L","0.023","mg/L","0.023","mg/L","0.050","mg/L","Yes","TRG","Method_Blank",""
","","","T","initial","Wet","1","","5","mL","5","mL","","1","","","
"MB","","Water","Normal","","","09/24/2015 15:23","09/25/2015 09:35","TestAmerica Savannah","MB
680-402758/1-A","402891","351.2 Nitrogen, Total Kjeldahl","351.2","Digestion","STL00296","Nitrogen,
Kjeldahl","N","0.10","<","U","mg/L","0.10","mg/L","0.10","mg/L","0.20","mg/L","Yes","TRG","Method_Blank"
","","","T","initial","Wet","1","","40","mL","40","mL","","1","","","